
BK606EL

Assembly Instructions

TWIN LOW LOFT BED

BK606EL



Thank you for purchasing your bunk bed from Bedz King.

Every effort has been made to ensure your furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at **info@bedzking.com**.

READ THESE INSTRUCTIONS CAREFULLYBEFORE ATTEMPTING TO ASSEMBLE THIS BED

SAFETY WARNINGS AND GENERAL NOTES

✓ Follow the information on the warning labels on the low loft bed structure and on the carton. Do not remove warning label from the bed.

✓ Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.

✓ The top surfaces of the mattress must be at least 5"below the upper edge of the guardrails.

✓ **Do not** allow children under 6 years of age to use the low loft bed.

✓ **Prohibit** more than one person on the low loft bed.

✓ Periodically check and ensure that the guardrails, ladder and other components are in their proper position, free from damage, and that all connectors are tight.

✓ **Do not** allow horseplay on or under the bed.Always prohibit jumping on the bed.

✓ Always use the ladder for entering and leaving the low loft bed.

✓ **Do not** use substitute parts. Contact the manufacturer or dealer for replacement parts.

✓ Use of a night-light may provide added safety for a child using the low loft bed.

✓ If the low loft bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.

✓ Always use guardrails on both long sides of the low loft bed.

✓ The use of a water or sleep floatation mattress is prohibited.

✓ Keep these instructions for future reference.

✓ We recommend assembling your low loft bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.

✓ **Strangulation Hazard** Never attach or hang items to any part of the low loft bed that are not designed for use with the bed for example, but not limited to hooks, belts, and jump ropes.

Pursuant to the Consumer Product Safety Improvement Act (CPSIA) Sec. 102 the manufacturer certifies compliance with the Consumer Product Safety Commission (CPSC) regulations listed below.

****** Product Information ******

BK 601 EL / BK 601 ST - Twin Low Loft Bed

Made in Brazil

Manufacturer:
Móveis Imperial
Rua Imperial, 233-Centro
Sao Bento Do Sul
SC 89290-187 - Brasil

Custodian of Test Records:
Manager of Compliance and Testing
Bedz King LLC
2920 114th St Suite 300
Grand Prairie TX 75050

Children's Product Certificates available at www.bedzking.com/certificates

****** Safety Testing Information ******

Testing performed at one or more of the following independent testing locations:

Instituto SENAI de Tecnologia
São Bento do Sul - SC - Brazil

Instituto SENAI de Tecnologia
Estancia Velha - RS - Brazil

TSCA Title VI and California 93120 Phase 2 Compliant for Formaldehyde

Date	Testing Location	Regulation
December 2024	SENAI-RS	15 U.S.C. § 1278a
December 2024	SENAI-RS	16 CFR 1303
December 2024	SENAI-SC	ASTM F 1427-21
December 2024	SENAI-SC	CFR 1213 and CFR 1513


⚠ WARNING


To help prevent serious or fatal injuries from entrapment or falls:
- Never allow a child under 6 years on the loft bed.
- Use only mattress which is 74" - 75" long and 37 1/2" - 38 1/2" wide on the loft bed.

- Ensure thickness of mattress and foundation combined does not exceed 9" and mattress is at least 5" below upper edge of guardrails.









* Use guardrails on both sides of the loft bed.
* Prohibit horseplay under the bed.
* Prohibit more than one person on the loft bed.
* Use ladder for entering and leaving the loft bed.
* STRANGULATION HAZARD - Never attach or hang items to any part of the loft bed that are not designed for use with the bed, for example, but not limited to hooks, belts and jump ropes.

DO NOT REMOVE THIS LABEL





SCREWS ARE SHOWN IN ACTUAL SIZE


		Qty.	Extra
A5	 3,5x16	12	+2
A10	 3,5x30	36	+2
B5	 1/4"	12	+1
B7	 1/4"x100	12	+1
	 7,0x90	16	+2
C3	 10x40	36	+2
D13		2	
G4		2	
G8		1	

WARNING - CHOKING HAZARD


Small Parts. Not for Children.


To be assembled by an adult

01



C3
03
(2X)
15
(4x)
04
05
06
2x
C3 - 36x


02



B16+G8
B5
B7+G8
05
04
01
02
B16
G8



G8- 01x
B7 - 02x
B16 - 04x
B5 - 02x

03






G8- 01x



B7 - 02x



B5 - 02x


04





G8- 01x


B7 - 08x


B16 - 08x


B5 - 08x


05




A5 - 12x


D13 - 02x

06





A10 - 06x


07


G4
A10
48
45
45
48
A10
A10
A10


08

Option: LEFT






09 Option: RIGHT



A10 - 02x

G8- 01x

B16 - 04x



BEDDING SPECIFICATION

- Always use the recommended size mattress or mattress support or both, to help prevent the likelihood of entrapment or falls.
- All Bedz King low loft beds are supplied with a complete slat kit, so there is no need for a foundation or bunkie board.

BED MATTRESS SPECIFICATIONS

Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the low loft bed.
- Ensure thickness of mattress and foundation combined does not exceed 9".

REPLACEMENT PARTS

- Replacement parts, may be obtained by contacting Bedz King LLC at info@bedzking.com

ASSEMBLYTIPS


- Power tools are not recommended for assembling your furniture.
- Give yourself plenty of room to work.
- Due to the size of this low loft bed, it must be assembled within the space it will occupy.
- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Take your time and read the instructions carefully.

BK66UB

Assembly Instructions

LADDER FOR LOFT BED WITH UNDER-BED

BK66UB




Thank you for purchasing your bunk bed from Bedz King.


Every effort has been made to ensure your furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at info@bedzking.com.

READ THESE INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE THIS BED

SAFETY WARNINGS AND GENERAL NOTES






- ✓ Follow the information on the warning labels on the low loft bed structure and on the carton. Do not remove warning label from the bed.
- ✓ Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- ✓ The top surfaces of the mattress must be at least 5" below the upper edge of the guardrails.
- ✓ **Do not** allow children under 6 years of age to use the low loft bed.
- ✓ **Prohibit** more than one person on the low loft bed.
- ✓ Periodically check and ensure that the guardrails, ladder and other components are in their proper position, free from damage, and that all connectors are tight.
- ✓ **Do not** allow horseplay on or under the bed. Always prohibit jumping on the bed.
- ✓ Always use the ladder for entering and leaving the low loft bed.
- ✓ **Do not** use substitute parts. Contact the manufacturer or dealer for replacement parts.
- ✓ Use of a night-light may provide added safety for a child using the low loft bed.
- ✓ If the low loft bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- ✓ Always use guardrails on both long sides of the low loft bed.
- ✓ The use of a water or sleep floatation mattress is prohibited.
- ✓ Keep these instructions for future reference.
- ✓ We recommend assembling your low loft bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- ✓ **Strangulation Hazard** Never attach or hang items to any part of the low loft bed that are not designed for use with the bed for example, but not limited to hooks, belts, and jump ropes.







WARNING - CHOKING HAZARD
Small Parts. Not for Children.
To be assembled by an adult


SCREWS ARE SHOWN IN ACTUAL SIZE

Part	Actual-size illustration and description	Qty.	Extra
A22	 **4.0 x 16**	6	
B17	 **7.0 x 60**	6	+1
C3	 **10 x 40**	6	+1
D14	 **Bracket**	2	
G8	 **Assembly tool**	1	
G9	 **Pad**	2	


01


C3


C3
3
(3x)
C3


C3 - 06x


02



B17+G8
B17+G8
B17+G8
G8+B17
G8+B17
G8+B17
3
3
3
2
1
B17
G8


B17 - 06x


G8 - 01x


03







A22 - 04x


D14 - 02x


G9 - 02x

04



BEDDING SPECIFICATION

- Always use the recommended size mattress or mattress support or both, to help prevent the likelihood of entrapment or falls.
- All Bedz King low loft beds are supplied with a complete slat kit, so there is no need for a foundation or bunkie board.

BED MATTRESS SPECIFICATIONS

Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the low loft bed.

- Ensure thickness of mattress and foundation combined does not exceed 9".

REPLACEMENT PARTS

- Replacement parts, including additional guardrails may be obtained by contacting Bedz King LLC at **info@bedzking.com**

ASSEMBLY TIPS


- Power tools are not recommended for assembling your furniture.
- Give yourself plenty of room to work.
- Due to the size of this low loft bed, it must be assembled within the space it will occupy.
- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Take your time and read the instructions carefully.

BK606-UB

Assembly Instructions

TWIN UNDER-BED

BK606-UB




Thank you for purchasing your bunk bed from Bedz King.


Every effort has been made to ensure your furniture is of the finest quality. If you have any questions, please do not hesitate to contact us at **info@bedzking.com**.

READ THESE INSTRUCTIONS CAREFULLY BEFORE ATTEMPTING TO ASSEMBLE THIS BED







SAFETY WARNINGS AND GENERAL NOTES

- ✓ Follow the information on the warning labels on the low loft bed structure and on the carton. Do not remove warning label from the bed.
- ✓ Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- ✓ The top surfaces of the mattress must be at least 5" below the upper edge of the guardrails.
- ✓ **Do not** allow children under 6 years of age to use the low loft bed.
- ✓ **Prohibit** more than one person on the low loft bed.
- ✓ Periodically check and ensure that the guardrails, ladder and other components are in their proper position, free from damage, and that all connectors are tight.
- ✓ **Do not** allow horseplay on or under the bed. Always prohibit jumping on the bed.
- ✓ Always use the ladder for entering and leaving the low loft bed.
- ✓ **Do not** use substitute parts. Contact the manufacturer or dealer for replacement parts.
- ✓ Use of a night-light may provide added safety for a child using the low loft bed.
- ✓ If the low loft bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- ✓ Always use guardrails on both long sides of the low loft bed.
- ✓ The use of a water or sleep floatation mattress is prohibited.
- ✓ Keep these instructions for future reference.
- ✓ We recommend assembling your low loft bed on the shipping carton to protect your floor or carpet. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- ✓ **Strangulation Hazard** Never attach or hang items to any part of the low loft bed that are not designed for use with the bed for example, but not limited to hooks, belts, and jump ropes.








SCREWS ARE SHOWN IN ACTUAL SIZE

		Qty.	Extra
A5	 3,5x16	16	+1
A10	 3,5x30	26	+2
		4	
B17	 7,0x60	4	+1
C3	 10x40	8	+1
G4		2	
G8		1	


01



C3



C3
C3
02
(2X)
C3
C3



C3 - 8x

02



B17+G8
01
B17+G8
02
02
B17+G8
01
B17+G8



B17
G8



G8- 01x


B17 - 04x

03



G4
A10
45
45
45
45
G4
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
A10
45
(13x)



A10 - 26x



G4 - 02x


04

Option: 1













05

Option: 2









BEDDING SPECIFICATION

- Always use the recommended size mattress or mattress support or both, to help prevent the likelihood of entrapment or falls.
- All Bedz King low loft beds are supplied with a complete slat kit, so there is no need for a foundation or bunkie board.

BED MATTRESS SPECIFICATIONS

Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the low loft bed.

- Ensure thickness of mattress and foundation combined does not exceed 9".

Under bed: Only use a mattress that is 74" - 75" long and 37 1/2" - 38 1/2" wide on the Under bed.

REPLACEMENT PARTS

- Replacement parts may be obtained by contacting Bedz King LLC at **info@bedzking.com**.

ASSEMBLY TIPS

- Power tools are not recommended for assembling your furniture.
- Give yourself plenty of room to work.
- Due to the size of this low loft bed, it must be assembled within the space it will occupy.
- The assembly will require at least two people to complete.
- Make sure all the fasteners are tight.
- Take your time and read the instructions carefully.

